

【WHAT IS CLAIMED IS :】

1. A warp knit having excellent touch, characterized in that ; consist
of a front surface layer and a rear surface layer, the front surface layer
consisting of ultra fine yarn with mono-filament denier of 0.03~0.09
5 denier, the rear surface layer consisting of high shrinkage yarn with
mono-filament denier of 1~5 denier, wherein the recovery rate of
elongation in the directions of wale and course is 8~30 %.

2. The warp knit having excellent touch as claimed in claim 1,
wherein the ultra fine yarn is polyester.

10 3. The warp knit having excellent touch as claimed in claim 1,
wherein content of the ultra fine yarn constituting the front surface layer is
50~75 % in weight of the total weight of the processed warp knit.

4. The warp knit having excellent touch as claimed in claim 1,
wherein content of the high shrinkage yarn constituting the rear surface
15 layer is 15~50 % in weight of the total weight of the processed warp knit.

5. The warp knit having excellent touch as claimed in claim 1,
wherein the high shrinkage yarn is co-polyester yarn with 15~50% of
shrinkage rate in boiling water.

6. A process of preparing a warp knit having excellent touch,
20 characterized in that firstly, knitting a warp knit by using a composite fiber

consisting of a fiber formation component of 0.03~0.09 denier and a
extraction component as a yarn of a front surface layer, and high shrinkage
yarn with mono-filament of 1~5 denier as a yarn of a rear surface layer,
and then raising the warp knit until the shrinkage rate of the warp knit is
5 reached 40% or more, and then preliminarily heating, extracting the
extraction component from the composite fiber, dyeing, buffing, and finally
heating the warp knit continuously.

7. The process of preparing a warp knit having excellent touch as
claimed in claim 6, wherein ratio in weight of the yarn of the front surface
10 layer : the yarn of the rear surface layer is 50~75 % in weight : 15~50 %
in weight .